

# **Notice of Allowability**

**Application No.**

09/998,145

**Examiner**

James R. Brittain

**Applicant(s)**

MACKAY ET AL

**Art Unit**

3677

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the telephone interview of February 16, 2005.
2. ☒ The allowed claim(s) is/are 1-8,10-21,25,22 & 23; renumbered 1-23, respectively.
3. ☒ The drawings filed on 30 November 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## **Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date \_\_\_\_\_
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

Art Unit: 3677

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Michael M. Ballard on February 16, 2005.

The application has been amended as follows:

Claim 22, lines 8 and 9, "is configured (i) to selectively receive and retain a temple of the eyeglass; and (ii) to selectively receive and retain" has been changed to --comprises a hollow member configured to selectively receive--;

Line 10, --therein-- has been inserted before the semi-colon; and

Line 13, "adjacent to the hole" has been changed before the period to --in communication with the hole, wherein the hole and slit extend through a wall of the hollow member--.

The following is an examiner's statement of reasons for allowance: Weil (US 2704961) (figures 7-12) is the closest art of record and teaches eyeglass retainers comprising a cord 13' having a first end and a second end and first and second connectors 14' coupled to the first end and second ends of the cord 13' wherein the connector has a hollow portion 15 and an opening comprised of two distinct portions, the first portion being the hole 22 that has a constant diameter and the second portion being the hole 23 that widens toward the hollow portion 15 so as to have a conical configuration different from the first portion 22, in the tubular wall that are inherently capable of being secured to the earpiece and the temple of eyeglasses if so desired. The

Art Unit: 3677

difference is that the openings are both holes and not a slit adjacent to or in communication with a hole. There is no suggestion to modify the eyeglass retainer of Weil so that one of the holes is a slit because such a construction provides advantages as indicated in [0037] of the specification. While Wilson et al. (US 5367347) teaches eyeglass retainer structure with the connector having a collapsible gripping passage defined by two holes connected by a slit wherein the temple is inserted completely through the retainer, this construction does not define a hollow member as does Weil and there is no motivation to combine such structure with the teachings of Weil.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R. Brittain whose telephone number is (703) 308-2222. The examiner can normally be reached on M-F 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on (703) 306-4115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3677

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



James R. Brittain  
Primary Examiner  
Art Unit 3677

JRB